



Since 1985

Modi®

A PRODUCT OF AN ISO 9001:2015 CERTIFIED COMPANY

SMART & STYLISH FANS CATALOUGE
FOR MODERN HOMES

I N T R O D U C T I O N

➤ About the Company

Ansu Engineering Works, established in 1985, has extensive experience in the manufacture of Electric Fans of Different kinds like Ceiling Fan, Table Fan, Air Circulator Fan, Pedestal Fans etc. The company is ISO 9001:2015 Certified and having ISI Certification.


The company is fully equipped with the latest state-of-the-art infrastructure as per International Standard and adopting the latest technical know – how with the help of the best professionals in the country. The In-house designing, developing, manufacturing and marketing has helped the growth at par with the major players in the same trade.

➤ Vision

To become the market leader in India for the design, look, quality, supply and service management to the entire system with ground level support to distributor and dealers through strategic co-operation with proven market leaders of the industry.

➤ Mission

To supply quality products and services that exceed the expectations of our customers in a time period and at a price that is beneficial to all Consumers, Distributor and Dealers without any negative environmental consequences.



ULTRA PREMIUM ANTIQUE FINISH FANS



Entaliya Premium



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
White Rose	Ent. Premium	1200 MM	350	220
White Gold				
Wooden				

ULTRA PREMIUM ANTIQUE FINISH FANS



Rainbow



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Beige Brown	Rainbow	600 MM	850	100
Silver Blue		900 MM	550	140
Pearl Ivory		1200 MM	405	210
		1400 MM	350	230

ULTRA PREMIUM ANTIQUE FINISH FANS



Yash



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	Yash	600 MM	750	100
White		900 MM	550	140
Ivory		1200 MM	405	210
		1400 MM	350	230



ULTRA PREMIUM ANTIQUE FINISH FANS



Freedom



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage



Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	Freedom	600 MM	750	100
White		900 MM	550	140
Ivory		1200 MM	405	210
		1400 MM	350	230

ULTRA PREMIUM ANTIQUE FINISH FANS



Advance



Double
Ball Bearing



ISI
IS 3742:2018



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	Advance	600 MM	750	100
White		900 MM	550	140
Ivory		1200 MM	405	210
Smoke Brown				

ULTRA PREMIUM ANTIQUE FINISH FANS



True Value



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving




Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	True Value	600 MM	750	100
White		900 MM	550	140
Ivory		1200 MM	405	210
Smoke Brown		1400 MM	350	230

ULTRA PREMIUM ANTIQUE FINISH FANS



True Value Deco



Double
Ball Bearing



ISI
IS 3742:2018



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	True Value	600 MM	750	100
White	Deco	900 MM	550	140
Ivory		1200 MM	405	210
Smoke Brown		1400 MM	350	230

ULTRA PREMIUM ANTIQUE FINISH FANS



Smart



Double
Ball Bearing



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	Smart	600 MM	750	100
White		900 MM	550	140
Ivory		1200 MM	405	210
Smoke Brown		1400 MM	350	230

ULTRA PREMIUM ANTIQUE FINISH FANS



Flair



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
White	Flair	1200 MM	405	220
Ivory		1200 MM	405	220
Smoke Brown		1200 MM	405	220

ULTRA PREMIUM ANTIQUE FINISH FANS



Entaliya



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
White	Entaliya	1200 MM	405	220
Ivory				
Smoke Brown				

ULTRA PREMIUM ANTIQUE FINISH FANS



Leo



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
White	Leo	1200 MM	405	220
Copper Brown				

ULTRA PREMIUM ANTIQUE FINISH FANS



Lues



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
White	Lues	1200 MM	405	220
Ivory		1200 MM	405	220
Smoke Brown		1200 MM	405	220

ULTRA PREMIUM ANTIQUE FINISH FANS



600 mm



Double
Ball Bearing



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving




Powerful
Air Delivery



Works on
Low Voltage

Colours	Model	Sweep	Rated Speed (RPM)	Max. air Delivery (CMM)
Brown	High Speed	600 MM	750	450
White				
Ivory, Beige Brown, Silver Blue				



HEAVY DUTY MAX AIR

Colours
Black
Grey

Available : 20" Metal Body
RPM : 1400



100%
Copper
Motor



Low noise
Operation



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





H. D. ULTRA

Colours Available : 20" Metal Body
Black RPM : 1400
Grey
Blue



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





MINI PEDESTAL HIGH FLOW

Colours Available : 16"
White RPM : 2200



PEDESTAL FAN

Colours Available : 16"
White RPM : 1400/2200



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





CYCLONE

Colours
Black, Grey

Available : 20" Metal Body
RPM : 1400



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





SUNAMI

Colours
Black, Grey

Available : 22" Metal Body
RPM : 1400



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





AIR CIRCULATOR STORM

Colours Available : 20" Metal Body
Black, Grey, Blue RPM : 2800



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





AIR CIRCULATOR KISAN

Colours
Black, Grey,
Metallic Blue &
Ambro Gold

Available : 20" Metal Body
RPM : 2800



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





HEAVY DUTY TOOFAN

Colours	Available : 20" Metal Body
Black	RPM : 2800
Grey	Base : CL
Blue	



Low Noise
Operation



Up to 50%
Energy Saving




Powerful
Air Delivery



Works on
Low Voltage





12"



16"

MINI PEDESTAL CLASSIC

Colours

Black

Grey

Blue

Available : 12", 16" (3B & 4B)

RPM : 1400



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





FORCE

Colours Available : 20" (3B & 4B)
Black RPM : 1400
Grey
Blue



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





RANGER

Colours
Black, Metallic Blue
Grey & Ambro Gold

Available : 20" Metal Body
RPM : 1400



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage





MINI PEDESTAL FAN

Available : 16" (3B/4B)

RPM : 2200

Colours : Black, Grey & Blue



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage



Shatabdi 12"



Available : 12" (4B)
RPM : 2200

Shatabdi 16"



Available : 16" (3B/4B)
RPM : 2200



Low Noise
Operation



Up to 50%
Energy Saving




Powerful
Air Delivery



Works on
Low Voltage



Cabin Fan



Available : 12" & 16"
RPM : 2200

Minio



Available : 8" & 10"
RPM : 2400



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage



Wall Fan 12"

Wall Fan 16"



Available : 12" / 16"
RPM : 2400/2200
Double Dori
3 Speed with oscillating



Low Noise
Operation



Up to 50%
Energy Saving




Powerful
Air Delivery



Works on
Low Voltage



Table Fan



Available : 12" / 16"
RPM : 2400 / 2200



Low Noise
Operation



Up to 50%
Energy Saving





Powerful
Air Delivery



Works on
Low Voltage



Facelift Cabin Fan



Available : 9" / 12"

RPM : 2700 / 2400



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage



Micro Table Fan



Available : 6" / 9"
RPM : 2700 / 2500



Low Noise
Operation



Up to 50%
Energy Saving




Powerful
Air Delivery



Works on
Low Voltage



Kwido



Available : 12"
RPM : 2400 / 2200
Colours : Black & White

All Purpose Fan



Size : 12"
RPM : 2400
Colour : White, Ivory & Black



Low Noise
Operation



Up to 50%
Energy Saving



Powerful
Air Delivery



Works on
Low Voltage



Trans Air



Model	Sweep	(RPM)
Trans Air	225 MM	2200
	300 MM	1400

Euro Fresh



Model	Sweep	(RPM)
Euro Fresh	225 MM	2400
	300 MM	2200



- Get assured high speed and long life with Hover ceiling fans
- 100% copper motor, double ball bearings, and dynamically balanced blades. Superior components ensure best-in-class air delivery and guarantees comfort and cooling.
- These Fans Electroplating For long life

Exhaust



Available :
12"/1400, 15"/1400
18"/950, 24"/900,

Euro Clean



Available : 6", 8", 10"
RPM : 1400



- World Class Contemporary Aesthetics, Body with Electro Plating finish to offer an eye- catching appeal.
- Get assured high speed and long life with Hover ceiling fans
- 100% copper motor, double ball bearings, and dynamically balanced blades. Superior components ensure best-in-class air delivery and guarantees comfort and cooling.
- These Fans Electroplating For long life

Water Heater

Electrical Instant Water Heater




Immersion Road
1000/1500/2000 watt

Electric Instant Water Heater

Specification:

Rated Voltage	: 230V, 1Ph, 50Hz A.C.
Rated Power	: 3000W
Rated water pressure	: 0.8 Mpa
Mean Water outlet temp	: 70°C
Available	: 1 Ltr. to 3 Ltr.
Tank	: Stainless Steel

Stationery Storage Water Heater



Stationery Storage Water Heater

Specification:

Rated Voltage	: 230V, 1Ph, 50Hz A.C.
Rated Power	: 1000-2000W
Rated water pressure	: 0.8 Mpa
Mean Water outlet temp	: 70°C
Available	: 6 Ltr. to 35 Ltr.
Tank	: Polymer Coated / Glassline

Room Heater



2 ROD QUARTZ HEATER

400/800 watts



FAN HEATER

1000/2000 watts



HEAT RESISTANT FLAME RETARDANT INDUSTRIAL CABLE 1100 VOLTS PVC INSULATED (COPPER CONDUCTOR)



ANNEALED COPPER ETP GRADE
101% CONDUCTIVITY (IACS) USED

Heat Resistant Flame Industrial Cable 1100 Volts PVC Insulated (Copper Conductor)

Basic Code	Nominal Cross Sectional Area of Conductor sq. mm.	Number Nom. Dia of Wire mm.	Thickness of Insulations (Nom.) mm.	Resistant (Max) per km at 20°C Ohms.	*Current Carrying Capacity-2 Cables Single Phase	
					In Conduct Trucking Amps	Unenclosed Clipped Direct to a Surface or on Cable Trays Amps.
WHFFDNA1X50	0.50	#16/0.2	0.6	39.00	4	4
WHFFDNA1X75	0.75	#24/0.2	0.6	26.00	8	8
WHFFDNA11X0	1.00	#14/0.3	0.7	18.10	12	13
WHFFDNA11X5	1.50	#22/0.3	0.7	12.10	14	18
WHFFDNA12X5	2.50	#36/0.3	0.8	7.41	20	24
WHFFDNA14X0	4.00	#56/0.3	0.8	4.95	26	32
WHFFDNA16X0	6.00	#84/0.3	0.8	3.30	34	41

*Creative representation of the wire will not catch fire if temperature is less than 280 degree Celsius & oxygen density is less than 30% Product specification as per for standard electrical usage

Trade mark Reg. No. 2408139 Class 9,
Copy Right No. A-69425/2005 | www.modifans.co.in



CABLES WITH IMPROVED FIRE
PERFORMANCE



ANSU ENGINEERING WORKS PVT. LTD.

MODI INDIA PRIVATE LIMITED

AN ISO 9001:2015 CERTIFIED COMPANY

TRADEMARK REGD. No. 457129 B CLASS, COPYRIGHT No. A-69425/2005

E. : modifansvns@gmail.com | W. : www.modiindia.co.in